


# مصادر الجزيرة

شاحنة ضاغطة القمامه 14 متر مكعب

GCT CLW 14CBM





تم تصميم هذه الشاحنة وتصنيعها وفقاً لمتطلبات الهيئة السعودية للمواصفات والمقاييس والجودة.



# المملكة العربية السعودية للمعايير والجودة

# Saudi Standards, Metrology and Quality Org.





مقدمة :



شاحنة ضغط القمامات أحد منتجاتنا الرئيسية. شاحنة ضغط القمامات هي نوع من مركبات القمامات البلدية المصممة خصيصاً لضغط القمامات إلى حجم أكثر قابلية للإدارة.

إنها تتميز بخصائص القوة المتكاملة العالية، الوزن الصغير، المظهر الأنيدق، قدرة التحميل القوية، والتشغيل الموثوق

المواد الخام للشاحنة ذو جودة عالية. يتم إنتاج جميع أجزائنا بمواد يتم اختيارها يدوياً وفحصها وشراؤها من موردين محليين أو أجانب ذوي سمعة طيبة لحفظ على أعلى معايير الجودة وأداء المنتج.



## التطبيقات:

- نقل وضغط القمامة .





## نظرة عامة على المميزات والفوائد:

### مانع تسريب للمياه

أرضية الجسم المجهزة مغلقة بالكامل. يمكن لجميع المياه أن تذهب مباشرة إلى خزان الصرف لتجنب إعادة التلوث أثناء النقل



### تحكم أوتوماتيكي

لوحة تحكم كهربائية لنظام الضغط والتحميل والضغط والتفریغ الآوتوماتيكي، كل ذلك يتولى شخص واحد

### خيارات الآلية

تتوفر ثلاثة أنواع من خيارات الآلية، آلية دوران البرميل، وآلية القلب. زمن الدورة 14:18 ث



### النظام الهيدروليكي

يمكن التحكم في نظام تشغيل التحكم الهيدروليكي بالكهرباء واليدوية، ويمكن أن تكون الأسطوانات الهيدروليكية قابلة للسحب تلقائياً





## المواصفات:

### العوامل الرئيسية

شاحنة القمامنة الضاغطة 14 متر مكعب

اسم النموذج

### الأوزان

10000 كجم

وزن الحمولة المقدرة (كجم )

### صندوق ضاغطة القمامنة

14 متر مكعب

الحجم

مواد حام

الفولاذ الكربوني Q345، الجانب 4 مم، والجزء السفلي 5 مم.  
اللودر الخلفي، آلية قلب صناديق النفايات ، يمكن أن تتطابق مع  
وحدتين سعة 120 لترًا، أو وحدة واحدة سعة 240 لترًا أو وحدة واحدة  
سعه 770 لترًا أو 1100 لترًا

طريقة التحميل

يتم رفع وحدة حشو القمامنة الخلفية أولاً، ثم يتم دفع القمامنة للخارج  
عن طريق دفع اللوحة

طريقة التفريغ

1:0.75

نسبة مضغوطة

9 طن

قوة السحق

صندوق تحكم مزدوج الجانب + رافعات يدوية PLC وجهاز التحكم عن بعد  
اللاسلكي؛ ركوب الدراجات بمفتاح واحد + تحكم نصف تلقائي

طريقة التحكم

وحدة واحدة

خزان مياه الصرف

الصندوق السفلي ووحدة الحشو مصنوعان من لوح فولاذى سميك.  
تم تجهيز أسطوانة رفع وحدة الحشو الخلفية بجهاز قفل. تم تجهيز  
الجزء العلوي بوظيفة الضغط المتكرر والضغط التمعجي ثنائى الاتجاه،  
ووضع تشغيل المصباح المدمج، وصندوق التحكم على الوجهين.

آخر

2 وحدة؛ أحدهما للصورة العكسية والآخر للتحقق من حالة العمل.

كاميرا








## الرسومات والصور :

منظور خلفي



منظور أمامي








شركة مصادر الجزيرة التجارية  
Masader Al-Jazeera Trading Co.

# Masader AL-Jazeera

## Garbage Compactor Truck 14CBM

### GCT CLW 14CBM



KSA.P.O.Box 37010 Riyadh 17242

8001240474

info@masader-j.com

www.masader-j.com

الشركة حاصلة على الترخيص





The Truck designed and manufactured According to  
the Requirement of the Saudi Standards , Metrology  
and Quality Organization .



الهيئة السعودية للمواصفات والمقاييس والجودة  
Saudi Standards, Metrology and Quality Org.





## Introduction:



**Garbage Compactor Truck** is one of our main product. Garbage Compactor Truck is a type of municipal refuse vehicle that is specially designed to compress or compact trash into a more manageable size.

**It has the characteristics of high integral strength, small weight, elegant appearance, strong loading capacity, and reliable operation.**


**Raw material resource of the Truck guarantees quality. All of our parts are produced with material are hand-picked, inspected, and purchased from reputable domestic or foreign suppliers to maintain the highest quality standards and product performance.**



# Applications:



- Garbage Compaction & Transportation



# Feature and Benefit Overview:



## No Sewage Leakage

Equipped body floor is fully sealed. All the sewage can go directly into the sewage tank to avoid re pollute during transportation



## Automatic Control

Electrical Control Panel for Compacting system , automatic Loading , compressing and discharging all handled by 1 person

## Mechanism Options

Three Kinds of mechanism options available , barrel turnover mechanism , tipping mechanism . Cycling time 14:18 S



## Hydraulic System

Hydraulic Control Operation System can be controlled by electric and manual , hydraulic Cylinders can be automatic retraction





# Specification :



## Main Technology Parameter

<b>Model Name</b>	14 cbm garbage compactor truck
<b>Weights</b>	
<b>Rated payload weight (kg)</b>	10000 kg
<b>Garbage compactor box</b>	
<b>Volume</b>	10 cbm
<b>Raw material</b>	Q345 carbon steel, side is 4 mm, and bottom is 5 mm.
<b>Loading Method</b>	Rear loader, waste bins flipover mechanism, can match 2 units 120 L, or 1 unit 240L or 1 unit 770L or 11000L waste bins.
<b>Unloading Method</b>	The back garbage filler unit is lifting up first, then garbage is pushed out by pushing plate
<b>Compacted Ratio</b>	1:0.75
<b>Crushing Force</b>	9 tons
<b>Control Method</b>	Double side control box + manual levers PLC and wireless remote control; one-key cycling + half-auto control
<b>Sewage Tank</b>	One unit
<b>Others</b>	The bottom box and filler unit are made of thick steel plate. The back filler unit lifting cylinder is equipped with a locking device. The upper part is equipped with a function of repeated compression and bidirectional peristaltic compression, an integrated flashlight operation mode, and a double-sided control box.
<b>Camera</b>	2 units ; one is for reverse image, and one is for checking the working condition.







## Drawings & Real Photos :



Rear View



Front View






شركة مصادر الجزيرة التجارية  
Masader Al-Jazeera Trading Co.



For more Products & Services  
Visit our Web site :

[www.masader-j.com](http://www.masader-j.com)



KSA.P.O.Box 37010 Riyadh 17242

8001240474

info@masader-j.com

www.masader-j.com

7



الشركة حاصلة على الترخيص

