


حلول تقلل من كثافة
جودة عالية وآمان

مصادر الجزيرة

فلتر هواء C50005
114216



الطراز: C50005



المتطلبات الفنية

- يجب أن يكون سطح الغراء البولي يوريثاني (PU) ناعماً وخلياً من العيوب مثل الفقاعات والومضات والتلوّه، إلخ؛
- صلابة المطاط البولي يوريثاني PU: Shore A 35 ± 5 ؛
- يجب أن تتوافق الخصائص الفيزيائية الأخرى مع متطلبات HG 2021-91 HI 7454 في.

ثلاوت الحجم غير الملحوظ (GB/T1804-2000-C)			
ثلاوت الحجم	الحجم	ثلاوت الحجم	الحجم
0.5-6	± 0.1	> 120-400	± 0.5
>6-30	± 0.2	> 400-1000	± 0.8
> 30-120	± 0.3	زاوية	$\pm 1^\circ$





Integrated transportation solutions
High quality and safety

شركة مصادر الجزيرة التجارية
Masader Al-Jazeera Trading Co.



Masader AL-Jazeera

AIR FILTER C50005
114216



KSA.P.O.Box 37010 Riyadh 17242

8001240474

info@masader-j.com

www.masader-j.com




الشركة حاصلة على الترخيص

ISO



Model: C50005



Technical Requirements

1. The surface of PU glue should be smooth and free from defects such as bubbles, flashes, deformation, etc.
2. PU rubber hardness: Shore A 35 ± 5
3. Other physical properties should meet the requirements of HI 7454 in HG 2021-91.

Unremaked Size Tolerance (GB/T1804-2000-M)			
Size	Tolerance	Size	Tolerance
0.5 - 6	± 0.1	>120 - 400	± 0.5
>6 - 30	± 0.2	>400 - 1000	± 0.8
>30 - 120	± 0.3	angle	$\pm 1^\circ$





A close-up photograph of a person's hands holding a white smartphone and pointing it towards a QR code. The person is wearing a light-colored shirt. Below the phone and QR code is a white rectangular box containing the QR code and promotional text.

For more Products & Services
Visit our Web site :

www.masader-j.com

