


حلول نقل منكاملة
جودة عالية وأمان

مصادر الجزيرة

(108225)

نظام تعليق ثلاثة محاور



KSA.P.O.Box 37010 Riyadh 17242



8001240474




info@masader-j.com



www.masader-j.com





KSA.P.O.Box 37010 Riyadh 17242



8001240474




info@masader-j.com




www.masader-j.com

2





Schematic diagram of air suspension bracket reinforcement (for reference)



Type		LTD12F11GT135	
Capacity		12000kg	≤105km/h
Double Tyre Track	TR	2114	(Double Tyre, 12mm Spoke
Single Tyre Track	TD	2090	(Rim setover: ET=0)
Length of Camshaft	L	676	
Brake Type		S420×180	制动鼓为252高常规款
Distance of Chamber	DC	514	
Distance of Spring	DS	1174	
Total Length	TL	2432	
Bearing		33213/33118	
Stud		10-M22×1.5 ISO	
P. C. D / Pilot Hole		335/280.5	
Recommend Wheel		12R22.5	



KSA.P.O.Box 37010 Riyadh 17242



8001240474



info@masader-j.com



www.masader-j.com



المطلبات الفنية:

1. المستوى المتماثل طولياً لمستوى مركز محاور المقطورة (بناءً على المحور المركزي لاتجاه عرض أعرض إطار الإطارات) يتمتع بتفاوت تماثل أقل من 3 مم لمستوى الوسط الطولي للإطار.
2. تفاوت العمودية لمحور المحور بالنسبة لمستوى الطولي للإطار في الاتجاه الأفقي موضح في الصورة.
3. عزم تأمين براغي ومكابس التثبيت:
 M30: 840 N.m (1) برغي الأوتاد: M24: 605-715 N.m (2) برغي ذراع التوجيه: M24: 390-460 N.m (3) برغي تثبيت الصدمات: 990 N.m
4. برغي تأمين لوحة الوسادة الهوائية M16: 220-230 N.m
5. برغي تثبيت لوحة الاتصال العلوية للوسادة الهوائية M12*1.75: 50-66 N.m
6. برغي الجزء السفلي من الوسادة الهوائية M12*1.75: 50-66 N.m
7. براغي تثبيت الغرفة الهوائية M16*1.5: 180-210 N.m

Air suspension parameter table

Air suspenion item (Without lifting)	Air suspenion item (With lifting)	Mounting Height	Jump up limit	Jump down limit	Air spring	Hanger Height ST
LTDK12B0/268/Q6/J01/B3	LTDK12B1/268/Q6/J01/B3	425-455	345	535	Without	268



KSA.P.O.Box 37010 Riyadh 17242



8001240474



info@masader-j.com



www.masader-j.com



نظام تعليق ثلاثة محاور

الصورة





KSA.P.O.Box 37010 Riyadh 17242

8001240474

info@masader-j.com

www.masader-j.com



الشركة حاصلة على البايزو

ISO



شركة مصادر الجزيرة التجارية
Masader Al-Jazeera Trading Co.


Integrated transportation solutions

High quality and safety

Masader AL-Jazeera

(108225)

Complete Set Air Suspension and Axles



KSA.P.O.Box 37010 Riyadh 17242

8001240474


info@masader-j.com


www.masader-j.com




الشركة حاصلة على الایزو

ISO





Schematic diagram of air suspension bracket reinforcement (for reference)





Type		LTD12F11GT135	
Capacity		12000kg	≤105km/h
Double Tyre Track	TR	2114	(Double Tyre, 12mm Spoke)
Single Tyre Track	TD	2090	(Rim setover: ET=0)
Length of Camshaft	L	676	
Brake Type		S420×180	制动鼓为252高常规款
Distance of Chamber	DC	514	
Distance of Spring	DS	1174	
Total Length	TL	2432	
Bearing		33213/33118	
Stud		10-M22×1.5 ISO	
P. C. D / Pilot Hole		335/280.5	
Recommend Wheel		12R22.5	





Technical requirements

- 1 – The longitudinal symmetry center plane of the trailer axles (based on the centerline of the outermost tire width's direction) has a symmetry tolerance of less than 3mm to the longitudinal center plane of the frame.
- 2 – The verticality tolerance of the axle axis relative to the longitudinal center plane of the frame in the horizontal direction is shown as picture.
- 3 – Installation bolt and nut locking torque:
 - (1)U-bolt's nut M24: 605-715N.m
 - (2)Oriented arm's nut M30: 840-990N.m
 - (3)Shock absorber pin's locking nut M24: 390-460N.m
- 4 – Air-bag plate's locking nut M16: 220-230N.m
- 5 – Air-bag upper connection plate's nut M12*1.75: 50-66N.m
- 6 – Nut of the bottom of the air-bag: M12*1.75: 50-66N.m
- 7 – Air chamber installation bolts M16*1.5:180-210N.m.

Air suspension parameter table

Air suspenstion item (Without lifting)	Air suspenstion item (With lifting)	Mounting Height	Jump up limit	Jump down limit	Air spring	Hanger Height ST
LTDK12B0/268/Q6/J01/B3	LTDK12B1/268/Q6/J01/B3	425-455	345	535	Without	268



Complete Set Air Suspension and Axles

Photo





شركة مصادر الجزيرة التجارية
Masader Al-Jazeera Trading Co.



For more Products & Services
Visit our Web site :

www.masader-j.com



KSA.P.O.Box 37010 Riyadh 17242

8001240474

info@masader-j.com

www.masader-j.com



الشركة حاصلة على البايزو

