


حلول نقل متكاملة
جودة عالية وأمان

مصادر الجزيرة


(114035)


سيرفو كلتش





- 11 - مدخل الهواء
- 4-1 - مدخل الزيت
- 31 - عادم الهواء
- 32 - برغي تفرغ الهواء





OIL VOLUME INPUT NUTZBARES HYDRAULISCHES VOLUMEN VOLUME D'HUILE ABSORBE VOLUME D'OLIO ASSORBITO		$V = (SH \times C) + K$	
K	ABSORPTION AT 120 BAR AUFNAHME BEI 120 BAR ASSORBIMENTO A	FOR FUEL PER POUR	K < 1.5 cm ³
SH	HYDRAULIC SECTIONAL AREA HYDRAULISCHER QUERSCHNITT SECTION HYDRAULIQUE SEZIONE IDRAULICO	C = 0	4.89 cm ²
C	GEAR DISENGAGING STROKE AUSKUPPLUNGSHUB COURSE DE DEBRAYAGE CORSO DI DISINNESTO		
HYDRAULIC FLUID : BRAKE FLUID HYDRAULIKFLUESSIGKEIT : BREMSFLUESSIGKEIT FLUIDE HYDRAULIQUE : GLYCERO ALCOOLIQUE FLUIDO IDRAULICO : LIQUIDO PER FRENI			SAE J 1703
THERMAL RANGE THERMISCHER ANWENDUNGSBEREICH TEMPERATURE D'UTILISATION TEMPERATURA DI UTILIZZAZIONE			-40°C... +100°C
SUPPLY PRESSURE VORRATSDRUCK PRESSION PNEUMATIQUE D'ALIMENTATION PRESSIONE PNEUMATICA DI ALIMENTAZIONE			10 bar MAX
NO STROKE LIMITER IN THE DEVICE KEIN HUBBEGRENZUNG IM GERAET PAS DE LIMITATION DE COURSE DANS L'APPAREIL NESSUNA LIMITAZIONE DI CORSA NELL'APPARECCHIO			

CAUTION : DO NOT ACTUATE THE DEVICE IF NOT FITTED ON ITS MOUNTING BRACKET
VORSICHT : GERAET DARF NUR IM EINGEBAUTEN ZUSTAND BETRIEBT WERDEN
ATTENTION : NE PAS ACTIONNER L'APPAREIL S'IL N'EST PAS FIXE SUR SON SUPPORT
ATTENZIONE : NON METTERE IN FUNZIONE L'APPARECCHIO SE NON E' FISSATO AL SUPPORTO



سيرفو كلتش الصورة



شركة مصادر الجزيرة التجارية
Masader Al-Jazeera Trading Co.



لمزيد من المنتجات والخدمات
قم بزيارة موقعنا الإلكتروني:

www.masader-j.com



📍 KSA.P.O.Box 37010 Riyadh 17242

☎ 8001240474

✉ info@masader-j.com

🌐 www.masader-j.com



الشركة حاصلة على الأيزو





شركة مصادر الجزيرة التجارية
Masader Al-Jazeera Trading Co.

Integrated transportation solutions
High quality and safety

Masader AL-Jazeera

(114035)

Clutch Servo



📍 KSA.P.O.Box 37010 Riyadh 17242

☎ 8001240474



✉ info@masader-j.com

🌐 www.masader-j.com




الشركة حاصلة على الايزو






SYMBOL
SYMBOL
SYMBOLE
SIMBOLO



- 11 – Air Inlet
- 1-4 – Oil Inlet
- 31 – Air Exhaust.
- 32 – Bleed Screw





OIL VOLUME INPUT NUTZBARES HYDRAULISCHES VOLUMEN VOLUME D'HUILE ABSORBE VOLUME D'OLIO ASSORBITO		$V = (SH \times C) + K$	
K	ABSORPTION AT AUFNAHME BEI ABSORPTION A ASSORBIMENTO A	120 BAR	FOR FUER POUR PER
SH	HYDRAULIC SECTIONAL AREA HYDRAULISCHER QUERSCHNITT SECTION HYDRAULIQUE SEZIONE IDRAULICO		C=0
C	GEAR DISENGAGING STROKE AUSKUPPLUNGSHUB COURSE DE DEBRAYAGE CORSO DI DISINNESTO		
HYDRAULIC FLUID HYDRAULIKFLUESSIGKEIT FLUIDE HYDRAULIQUE FLUIDO IDRAULICO		:BRAKE FLUID :BREMSFLUESSIGKEIT :GLYCERO ALCOOLIQUE :LIQUIDO PER FRENI	
THERMAL RANGE THERMISCHER ANWENDUNGSBEREICH TEMPERATURE D'UTILISATION TEMPERATURA DI UTILIZZAZIONE		-40°C...+100°C	
SUPPLY PRESSURE VORRATSDRUCK PRESSION PNEUMATIQUE D'ALIMENTATION PRESSIONE PNEUMATICA DI ALIMENTAZIONE		10 bar MAX	
NO STROKE LIMITER IN THE DEVICE KEIN HUBBEGRENZUNG IM GERAET PAS DE LIMITATION DE COURSE DANS L'APPAREIL NESSUNA LIMITAZIONE DI CORSA NELL'APPARECHIO			

CAUTION : DO NOT ACTUATE THE DEVICE IF NOT FITTED ON ITS MOUNTING BRACKET
 VORSICHT : GERAET DARF NUR IM EINGEBAUTEN ZUSTAND BETRIEBT WERDEN
 ATTENTION : NE PAS ACTIONNER L'APPAREIL S'IL N'EST PAS FIXE SUR SON SUPPORT
 ATTENZIONE : NON METTERE IN FUNZIONE L'APPARECCHIO SE NON E' FISSATO AL SUPPORTO



Clutch Servo

Photo





شركة مصادر الجزيرة التجارية
Masader Al-Jazeera Trading Co.



For more Products & Services
Visit our Web site :

www.masader-j.com



📍 KSA.P.O.Box 37010 Riyadh 17242

☎ 8001240474

✉ info@masader-j.com

🌐 www.masader-j.com



الشركة حاصلة على الايزو

