





# مصادر الجزيرة

انتر لوک صندوق البوتم

102021




## وصف المنتج :



صممت صمام سلسلة الهواء ليكون الحال المثالي لجميع احتياجات قفل نقل البترول الخاصة بك. من حماية الانزلاق عند استخدام وصلات البترول ومحولات البخار، إلى قضبان الحماية المتداخلة وأبواب الخزانة، يُعد الصمام استبدالاً مناسباً لنماذجنا السابقة وللعلامات التجارية التنافسية. يظل التنسق والوظيفة متطابقين مع النماذج السابقة. يتميز هيكلها الجديد والمتنين وخفيف الوزن المصنوع من الألومنيوم المؤكسد، والتصميم الداخلي والأجزاء الصلبة من الفولاذ المقاوم للصدأ بالمتانة الفائقة، مما يمنه عمرًا طويلاً وحماية متفوقة من التآكل والعوامل البيئية. يستخدم هذا التصميم الجديد بشكل كامل معايير الصناعة لحلقات Parker Brand، وحلقات O بمقاييس AS568B القياسية لتحقيق أداء ممتاز. يتميز صمامنا بتصميم "فتحة التنفس الدائرية المغلقة" الفريد والمبتكر الذي لا يتطلب وجود فتحة تنفس في الغطاء الخلفي. وهذا يوفر تصميماً محكماً تماماً لا يسمح بدخول الرطوبة أو التلوث أثناء الاستخدام.





## المميزات :

١- حلقات ٢-٥ من السلسلة القياسية Premium Parker Brand لسهولة الصيانة

٢- عمود وأجزاء من الفولاذ المقاوم للصدأ لأداء خالي من المتاعب

٣- قطعة واحدة صلبة من الألومنيوم المثبتة خفيفة الوزن لكنها قوية



٤- جسم مؤكسد ذو طبقة صلبة لمتانة فائقة ومقاومة للتآكل


٥- نظام التنفس المغلق يحافظ على عدم دخول الشوائب لتقليل الصيانة.

٦- الغطاء الخلفي مغلق بالكامل. لا توجد فتحات تهوية مطلوبة.



الرسم:






## الأجزاء:

الكمية	المادة	الوصف	التصنيف
١	WLSF-CB	أزرار	١
١	WLM-M6	صامولة	٢
١	WLSF-Z	مكبس	٣
١	WLSF-YF	حلقات احكام	٤
١	KH-WLSF	ورده سوستة	٥
٣	MFQ-WLSF	حلقات احكام	٦
١	WLSF-FT	جسم الصمام	٧
١	TQ-WLSF	زنبرك	٨
١	WLSF-BM	الجزء النهائي	٩





لمزيد من الخدمات والمنتجات  
قم بزيارة موقعنا الالكتروني :  
[www.masader-j.com](http://www.masader-j.com)









# Masader AL-Jazeera

Interlock Valves  
102021






## Product Description :

Series Air Interlock Valve is the perfect solution for all your petroleum transport interlock needs. From driveoff protection on APIs and Vapor Adaptors, to interlocking guard bars and cabinet doors, .valve is a drop-in, replacement for our earlier models and for competitive brands. The fit and function remain identical to previous models. Their new durable yet lightweight hard-coat anodized aluminum body, stainless steel internals and hardware deliver extreme durability, extended life and provide superior protection from chemicals and the elements. This completely new design uses industry standard Parker Brand, premium AS568B standard O-rings. Our valve features a unique and innovative "closed loop breather "design that requires no vent hole in the rear end cap. This provides a completely sealed design that won't "breath in "moisture or contamination while in use.



# Advantages:



**1-Premium Parker Brand™ Standard Series-2 O-Rings for Ease of Maintenance**

**2-Stainless Steel Shaft and Hardware for Trouble Free Performance**

**3-Solid One - Piece Extruded Aluminum is Lightweight Yet Strong**




**4-Hard Coat Anodized Body for Extreme Durability and Wear Resistance**


**5-Closed Loop Breather Keeps Contamination Out for Reduced Maintenance**

**6-Rear End Cap is Completely Sealed. No Vent Holes are Required.**



## Drawings :





# Parts:

classification	material	Description	Quantity
1	WLSF-CB	Buttons	1
2	WLM-M6	Nut	1
3	WLSF-Z	Piston shaft	1
4	WLSF-YF	Oil seals	1
5	KH-WLSF	Circli	1
6	MFQ-WLSF	Seal rin	3
7	WLSF-FT	Valve Body	1
8	TQ-WLSF	Spring	1
9	WLSF-BM	And cap	1



